## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

1-46. (Canceled)

1　47. (Currently amended) A computer implemented method of identifying a
2　reminder event comprising steps of:
3　　　receiving identifications over time, each identification indicating
4　detection of proximity to a place or a thing;
5　　　making a log of at least some of the identifications;
6　　　running a pattern recognition algorithm on the log which recognizes
7　the reminder event, The method according to claim 45, wherein said running
8　the pattern recognition algorithm determining determines that a particular
9　thing was taken by a the person from a first place to a second place and that
10　the person left the second place without the thing and wherein the event is a
11　reminder event; and
12　　　notifying the person of the reminder event.

1　48. (Currently amended) A computer implemented method of identifying a
2　reminder event comprising steps of:
3　　　receiving identifications over time, each identification indicating
4　detection of proximity to a place or a thing;
5　　　making a log of at least some of the identifications;
6　　　running a pattern recognition algorithm on the log which recognizes
7　the reminder event, The method according to claim 45, wherein said running
8　the pattern recognition algorithm determining determines that a the person left
9　a first place and arrived at a second place without a particular thing and
10　wherein the event is a reminder event; and
11　　　notifying the person of the reminder event.

49-70. (Canceled)

1      71. (Currently amended) A computer for <u>identifying a reminder event</u> <s>use in</s>

2      <s>a computing system,</s> comprising:

3      a wireless detector operable for receiving identifications, each

4      identification indicating detection of proximity to a place or a thing;

5      a central processing unit coupled to the wireless detector; and

6      a memory coupled to the central processing unit such that in operation

7      the memory stores a log of selected ones of the identifications and further such

8      that in operation the central processing unit of the computer recognizes <u>the</u> <s>an</s>

9      <u>reminder</u> event based upon a pattern recognition algorithm that evaluates the

10      log<u>, said pattern recognition algorithm determining that a particular thing was</u>

11      <u>taken by a person from a first place to a second place and the person left the</u>

12      <u>second place without the thing</u>.


1      72. (Currently amended) The computer according to claim 71, wherein the

2      computer notifies <u>the</u> <s>a</s> person of <u>the</u> <s>a</s> reminder event.


73-75. (Canceled)


1      76. (Currently amended) The computer according to claim 71, further

2      comprising an output device coupled to the central processing unit such that in

3      operation the central processing unit activates the output device upon

4      recognizing the <u>reminder</u> event and the output device provides an output

5      signal to <u>the</u> <s>a</s> person.


1      77. (Previously presented) The computer according to claim 76, further

2      comprising an input device coupled to the central processing unit such that in

3      operation the person acknowledges receipt of the output signal via the input

4      device.


1      78. (Currently amended) The computer according to claim 71, wherein in

2      operation the central processing unit notifies another computer upon the

3      central processing unit recognizing the <u>reminder</u> event.


79-87. (Canceled)

1   88. (New) A computer for identifying a reminder event comprising:

2   a wireless detector operable for receiving identifications, each

3   identification indicating detection of proximity to a place or a thing;

4   a central processing unit coupled to the wireless detector; and

5   a memory coupled to the central processing unit such that in operation

6   the memory stores a log of selected ones of the identifications and further such

7   that in operation the central processing unit of the computer recognizes the

8   reminder event based upon a pattern recognition algorithm that evaluates the

9   log, said pattern recognition algorithm determining that a person left a first

10  place and arrived at a second place without a particular thing.


1   89. (New) A computer readable medium comprising computer code for

2   implementing a method of identifying a reminder event, the method of

3   identifying the reminder event comprising steps of:

4   receiving identifications over time, each identification indicating

5   detection of proximity to a place or a thing;

6   making a log of at least some of the identifications;

7   running a pattern recognition algorithm on the log which recognizes

8   the reminder event, said running the pattern recognition algorithm determining

9   that the person left a first place and arrived at a second place without a

10  particular thing; and

11  notifying a person of the reminder event.


1   90. (New) A computer readable medium comprising computer code for

2   implementing a method of identifying a reminder event, the method of

3   identifying the reminder event comprising steps of:

4   receiving identifications over time, each identification indicating

5   detection of proximity to a place or a thing;

6   making a log of at least some of the identifications;

7   running a pattern recognition algorithm on the log which recognizes

8   the reminder event, said running the pattern recognition algorithm determining

9   that the person left a first place and arrived at a second place without a

10  particular thing; and

11          notifying a person of the reminder event.